

Page 1 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2

SDS Revision Date: 12/12/2013

	Product Name:		PRODUCT ® ETCHIN					<u> </u>						
.2				G CREAL	VI									
.2	Chemical Name:		luoride Solution	0.1.11										
	Synonyms:		drogendifluoride	Solution; 322	7-CREA	/I								
4	Trade Names:	Etchall® Etching	g Cream											
5	Product Use:	NA												
6	Distributor's Name:	B & B Etching I												
.7	Distributor's Address:		Sun City, AZ 85											
.8	Emergency Phone:		+1 (800) 53		(352) 3	23-350	0							
.9	Business Phone / Fax:	+1 (623) 933-4	567 / +1 (623) 8	315-9095										
			2. HA	ZARDS II	DENT	IFICA	TIO	N						
1	Hazard Identification:		is classified as						ous g	oods	acco	rding	to the	9
			riteria of [NOHS											
			XIC IF SWALL											
			nents (H): H301						•	_				
			Statements (P):											
			ter handling. F											
		protective gloves/clothing and eye/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment - See section 4 of this Safety Data												
			P351+P338 IF											
		lenses if presi	ent and easy to	do Continue	rinsina	P310 -	Imme	diately	calla	POIN	3. IXCI JSON	CFN	ΓFR ο	
			an. P330 – Rins											
			waste disposa											
2	Effects of Exposure:	Ingestion:	Harmful if swa				ch ma	y not	be im	media	tely p	ainful	or vis	sible. May cau
			severe burns of	,										
		Eyes:	Eye irritant. Ma											
		<u>Skin</u> :	Harmful or fata		May be	narmful i	by bre	atning	dusts	or mis	sts. Co	ontact	may r	esult in blister
		Inhalation:	or ulcers of skir May be harmfu		.4			tra cotica	. 4 - 41-	a tiaa.	of s	tha mi	ICOLIC	mombrance a
		Inhalation:		ii ii innaied. ivi		avtrama					ie oi	me mi	icous	memoranes a
			Linner resnirato	ry tract	ateriai is	extreme	ly des	liuclive	e to the	ฮ แรรเ				
.3	Symptoms of Overexposure:	Fves.	upper respirato	•					e to the	- 11880				
.3	Symptoms of Overexposure:	Eyes:	Redness, burni	ng, irritation, a	nd swellii	ng aroun	d eyes		e to tno	e ussu				
.3	Symptoms of Overexposure:	Skin:	Redness, burni Redness, burni	ng, irritation, a ng, itching, ras	nd swellii h, blister	ng aroun	d eyes	S.						
3	Symptoms of Overexposure:	Skin: Ingestion:	Redness, burni Redness, burni Possible sympt	ng, irritation, a ng, itching, ras oms include na	nd swellii h, blister ausea, vo	ng aroun ing of ski omiting, a	id eyes in. and ab	s. domina	al pain			ulty br	eathin	
	Symptoms of Overexposure:  Acute Health Effects:	Skin: Ingestion: Inhalation:	Redness, burni Redness, burni Possible sympt Coughing, whe	ng, irritation, ang, itching, ras oms include na ezing, swelling	nd swellii h, blister ausea, vo of throat	ng aroun ing of ski omiting, a	d eyes in. and ab n in m	s. domina ucous	al pain memb	ranes,	, diffic			g.
		Skin: Ingestion: Inhalation: Harmful or fata	Redness, burni Redness, burni Possible sympt	ng, irritation, ang, itching, ras oms include na ezing, swelling Eye and skin ir	nd swellii h, blister ausea, vo of throat ritant. Ha	ng aroun ing of ski omiting, a i, irritation armful if i	id eyes in. and ab n in mi	domina ucous d. Cau	al pain memb	ranes, vere b	, diffic	o eyes	s and s	g. skin.
.4	Acute Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed.	ng, irritation, ang, itching, rasoms include naezing, swelling Eye and skin ir	nd swellii h, blister ausea, vo of throat ritant. Ha	ng aroun ing of sk miting, a riritation armful if i	id eyes in. and ab n in mi nhaled	domina ucous d. Caus	al pain memb ses se	ranes, vere b	, diffic	o eyes	s and s	g. skin.
.4	Acute Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness.	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in damage	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expos	nd swellii h, blister ausea, vo of throat ritant. Ha	ng aroun ing of sk miting, a riritation armful if i	id eyes in. and ab n in mi nhaled	domina ucous d. Caus	al pain memb ses se	ranes, vere b	, diffic	o eyes	s and s	g. skin.
.4	Acute Health Effects: Chronic Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expos- cones.	nd swellind h, blister ausea, voor of throat ritant. Hand ligameed for an	ng aroun ing of ski omiting, a i, irritation armful if i ents. Chr extende	nd eyes in. and ab n in mo inhaled ronic e d perio	dominaucous d. Caus exposu od of ti	al pain membroses ser re may me.	ranes, vere b	, diffic	o eyes	s and s	g. skin.
.4	Acute Health Effects: Chronic Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expos- cones.	nd swellind h, blister ausea, voor of throat ritant. Hand ligameed for an	ng aroun ing of ski omiting, a i, irritation armful if i ents. Chr extende	nd eyes in. and ab n in mo inhaled ronic e d perio	domination de la constantia del constantia del constantia del constantia del constantia del constantia del c	al pain membroses ser re may me.	ranes, vere b	, diffic ourns t	one ch	and s	g. skin.
.4	Acute Health Effects: Chronic Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expos- cones.	nd swellind h, blister ausea, voor of throat ritant. Hand ligameed for an	ng aroun ing of ski omiting, a i, irritation armful if i ents. Chr extende	id eyes in. and ab n in mi nhaled ronic e d perio	domination de la constantia del constantia del constantia del constantia del constantia del constantia del c	al pain memb ses se re may me.	ranes, vere b	, diffic ourns t	one ch	and s	g. skin.
.4	Acute Health Effects: Chronic Health Effects:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expos- cones.	nd swellind h, blister ausea, voor of throat ritant. Hand ligameed for an	ng aroun ing of sk miting, a , irritation armful if i ents. Chr extende	id eyes in. and ab n in mi nhalec ronic e d perio	domination depends on the control of	al pain memb ses se re may me.  ATIC EXPOSE OHSC ppm	ranes, vere b v resu	, diffic ourns t	one ch	and s	g. skin.
.6	Acute Health Effects: Chronic Health Effects: Target Organs:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if exposioones.	nd swellind h, blister ausea, vo of throat ritant. Hand ligame ed for an	ng aroun ing of sk imiting, a , irritation armful if i ents. Chr extende	id eyes in. and ab in in mi inhalec ronic e id perio	domina ucous d. Caus xposu od of ti	al pain membrases sere may me.  ATIC EXPOSI OHSC ppm ES-	ranes, vere b v resu	, diffic ourns t It in b	AIR (mg	s and s nanges	g. skin. s with associal
4 5 6	Acute Health Effects: Chronic Health Effects: Target Organs:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC	Redness, burni Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama. Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if exposiones.  ON & ING	nd swellind h, blister ausea, vo of throat ritant. Hand ligame ed for an	ng aroun ing of sk imiting, a , irritation ents. Chr extende  ENT I  ACGI ppm TLV \$	nd eyes in. and ab n in mi nhaled onic e d perio	dominiucous d. Caus xposu od of ti	al pain membres ses ser may me.  ATICEXPOSIONESC pppm ESS-BTEL F	ranes, vere b v resu  DN  JRE LIM  ES- PEAK	, diffice ourns to the bull of	AIR (mg OSHA ppm	s and s nanges g/m³)	g. skin.
4 5 6	Acute Health Effects: Chronic Health Effects: Target Organs:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC	Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if exposioones.	nd swellind h, blister ausea, vo of throat ritant. Hand ligamed for an	ng aroun ing of sk imiting, a , irritation ents. Chr extende  ENT I  ACGI ppm TLV \$	nd eyes in. and ab n in mi nhaled onic e d perio	domina ucous d. Caus xposu od of ti	al pain membres ses ser may me.  ATICEXPOSIONESC pppm ESS-BTEL F	ranes, vere b v resu	, diffic ourns t It in b	AIR (mg	s and s nanges	g. skin. s with associal
4 5 6	Acute Health Effects: Chronic Health Effects: Target Organs:  CAL NAME(S)	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC	Redness, burni Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama. Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if exposiones.  ON & ING	nd swellind h, blister ausea, vo of throat ritant. Hand ligame ed for an	ng aroun ing of sk imiting, a , irritation ents. Chr extende  ENT I  ACGI ppm TLV \$ NE	nd eyes in. and ab n in mi nhalec onic e d perio	dominiucous d. Caus xposu od of ti  DRM  N  ES- TWA	ATIC EXPOSE OHSC Ppm ES- NF	ranes, vere b v resu  DN  JRE LIM  ES- PEAK	, diffice ourns to the bull of	AIR (mg OSHA ppm	s and s nanges g/m³)	g. skin. s with associal
.4 .5 .6	Acute Health Effects: Chronic Health Effects: Target Organs:	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC  CAS No. 7332-18-5	Redness, burni Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama. Could irritate si gs (corrosive), b	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expositiones.  ON & ING  EINECS No.  231-791-2	nd swellind h, blister ausea, vo of throat ritant. Hand ligamed for an REDI % 40-70	ng aroun ing of ski pmiting, a , irritation armful if i ents. Chr extende  ENT I  ACGI ppm TLV \$ NE	nd eyes in. and ab n in mi nhalec ronic e d perio	domination department of the control	ATIC EXPOSE OHSC Ppm ES- NF	ranes, vere b v resu  DN  JRE LIM  ES- PEAK  NF	diffice ourns to the burns to t	AIR (mg OSHA ppm STEL NE	s and s nanges g/m³)	g. skin. s with associal
.4 .5 .6 /AT	Acute Health Effects: Chronic Health Effects: Target Organs:  ICAL NAME(S)  ER  ONIUM BIFLUORIDE	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC  CAS No. 7332-18-5  1341-49-7 Acute Tox. C	Redness, burni Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama: Could irritate si gs (corrosive), b  DMPOSITIO  RTECS No. ZC0110000	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expositiones.  ON & ING  EINECS No.  231-791-2	nd swellind h, blister ausea, vo of throat ritant. Hand ligamed for an REDI % 40-70	eng arouning of skipmiting, as, irritation armful if i ents. Chrextende  ENT I  ACGI  ppm  TLV \$  NE  [(2.5)]  .1; H30°	NFC NA (1, H31	domination department of the control	ATICEXPOSE OHSC PPM ES- NF	ranes, vere b v resu  DN  JRE LIM  ES- PEAK  NF	diffice ourns to the burns to t	AIR (mg OSHA ppm STEL NE	s and s nanges g/m³)	g. skin. s with associal
4 5 6	Acute Health Effects: Chronic Health Effects: Target Organs:  CAL NAME(S)	Skin: Ingestion: Inhalation: Harmful or fata Exposure may joint stiffness. Eyes, skin, lun  3. CC  CAS No. 7332-18-5  1341-49-7 Acute Tox. C	Redness, burni Redness, burni Redness, burni Possible sympt Coughing, whe al if swallowed. result in dama: Could irritate si gs (corrosive), b  DMPOSITIO  RTECS No. ZC0110000  BQ9200000  Dral 3; Skin Cor	ng, irritation, a ng, itching, ras oms include na ezing, swelling Eye and skin ir ge to bones ar nuses if expositiones.  ON & ING  EINECS No.  231-791-2  215-676-4 r. 1B; Serious I	nd swellinh, blister ausea, vo of throat ritant. Hand ligamed for an REDI % 40-70 20-40 Eye Dam	eng arouning of skipmiting, as, irritation armful if i ents. Chrextende  ENT I  ACGI  ppm  TLV \$  NE  [(2.5)]  .1; H30°	NFC NA (1, H31	domination department of the control	ATICEXPOSE OHSC PPM ES- NF	ranes, /ere b / resu  DN  DN  ES- PEAK NF	difficurns to the difficurns to the difficurns to the difficure to the dif	AIR (mg OSHA ppm STEL NE	s and s nanges g/m³) IDLH NE	g. skin. s with associa



7.1 Work & Hygiene Practices:

# SAFETY DATA SHEET

Page 2 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 12/12/2013 4. FIRST AID MEASURES First Aid: Ingestion: DO NOT INDUCE VOMITING. Contact InfoTrac +1 (800) 535-5053 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. Never give anything by mouth to an unconscious person. Rinse mouth with water. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists Skin: and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention. 4.2 Medical Conditions Aggravated by Pre-existing dermatitis, other skin conditions, and disorders of **HEALTH** Exposure: the target organs (eyes, skin, respiratory system, bones) or **FLAMMABILITY** 0 impaired kidney function may be more susceptible to the effects PHYSICAL HAZARDS 2 of this substance PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. Excessive heat may release toxic corrosive gases. 5.2 Extinguishing Methods: Water spray, dry chemical, alcohol foam, or carbon dioxide. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, and/or nitrogen, hydrogen fluoride, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Spille

	0.1	Opina.	Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
			<u>Small Spills</u> : Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.
			<u>Large Spills</u> : Keep incompatible materials (e.g., powdered metals) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters.
ſ		·	

# 7. HANDLING & STORAGE INFORMATION

Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product.

		Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Keep away from incompatible substances (see Section 10). Protect containers from physical damage.
7.3	Special Precautions:	Empty containers may retain hazardous product residues. Store only in plastic containers such as polyethylene, polypropylene or polyvinyl chloride at temperatures between 65-85 °F (18-30°C). Crystals will form in product at temperatures below 65 °F (18 °C), but will dissolve when product temperature is raised above 65 °F (18 °C)



Page 3 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 12/12/2013

	•	EVECUIRE CONTROL O O REPOCNAL PROTECTION
		EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
8.2	Respiratory Protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such NIOSH (US) or CEN (EU).
8.3	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
8.4	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands.
8.5	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product. For splash or full contact, a nitrile rubber apron/protective clothing (0.11 mm thickness min.) is recommended.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Off-white to tan semi-viscous liquid
9.2	Odor:	Mild, ammonia-like odor
9.3	Odor Threshold:	NA
9.4	pH:	2.0-3.0
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	> 99 °C (> 210 °F)
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	Same as water
9.10	Vapor Density:	NA
9.11	Relative Density:	
9.12	Solubility:	1.43
9.12	Partition Coefficient (log P <sub>ow</sub> ):	Most insoluble (water)
9.13	Autoignition Temperature:	NA NA
	·	NA NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	Evaporation Rate: NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable.
10.2	Hazardous Decomposition Products:	Contact with metals such as aluminum and zinc may produce hydrogen gas. Thermal decomposition may produce phosphoric, nitrogen, carbon or sulfur oxides.
	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Incompatible substances.
10.5	Incompatible Substances:	Cyanides, water-reactive substances, chlorinated cleaners or sanitizers, metals such as aluminum, zinc and magnesium. May generate heat or form flammable gases when mixed with a wide variety of substances.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	NA
11.3	Acute Toxicity:	See Section 2.4
11.4	Chronic Toxicity:	See Section 2.5
11.5	Suspected Carcinogen:	NA NA
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.  This product is not reported to cause reproductive effects in humans.
		Line propertie not reported to cause reproductive effects in hilmans
11 7	Reproductive Toxicity:	
11.7	Irritancy of Product:	See Section 2.3
11.7 11.8 11.9		



Page 4 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 12/12/2013 12. ECOLOGICAL INFORMATION Environmental Stability: No data available. 12.2 Effects on Plants & Animals: No data available. 12.3 Effects on Aquatic Life No data available. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. Special Considerations: U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002) 14. TRANSPORTATION INFORMATION 49 CFR (GND): UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II LTD QTY: IP VOL < 1.0 L, PKG ≤ 30.0 kg 14.2 IATA (AIR): UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II 14.3 IMDG (OCN): UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II LTD QTY: IP VOL < 1.0 L, PKG ≤ 30.0 kg TDGR (Canadian GND): 14 4 UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II LTD QTY: IP VOL < 1.0 L, PKG ≤ 30.0 kg 14.5 ADR/RID (EU): UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II LTD QTY: IP VOL < 1.0 L, PKG  $\leq$  30.0 kg SCT (MEXICO): 14.6 UN2817, DIHIDROFLORURO AMONICO EN SOLUCION, 8, II CANTIDAD LIMITADA: IP VOL < 1.0 L, PKG ≤ 30.0 kg 14.7 ADGR (AUS): UN2817, AMMONIUM HYDROGENDIFLUORIDE SOLUTION, 8, II LTD QTY: IP VOL < 1.0 L, PKG ≤ 30.0 kg 15. REGULATORY INFORMATION SARA Reporting Requirements: This material does not contain any chemical components with known CAS numbers that exceed the threshold (de 15.1 minimis) reporting levels established by SARA Title III, Section 313. 15.2 SARA Threshold Planning Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity (RQ): Ammonium Bifluoride: 100 lbs (45.4 kg. 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D1, E (Toxic, corrosive material). State Regulatory Information: 15.7 Ammonium Bifluoride is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), and Pennsylvania Right-to-Know List (PA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Ammonium Bifluoride: Toxic, Corrosive (T, C). Risk Phrases (R): R25-34 - Toxic if swallowed. Causes burns. Safety Phrases (S): S(1/2)-22-26-37-45 - Keep locked up and out of the reach of children. Do not breathe dust. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. If case of accident, or if you feel unwell, seek medical advice immediately (show the label where possible).



Page 5 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 12/12/2013

		16. OTHER II	NFORMATION		
16.1	Other Information:	skin surfaces thoroughly with soap ar product. Wear protective gloves/cloth CENTER or doctor/physician. IF IN	CAUSES SEVER BURNS AND EYE DAMAGE. Wash hands and exposed and warm water after handling. Do not eat, drink or smoke while using this ing and eye/face protection. IF SWALLOWED: Immediately call a POISON EYES: Rinse cautiously with water for several minutes. Remove contact attinue rinsing. Rinse mouth. Store locked up. KEEP OUT OF REACH OF		
16.2	Terms & Definitions:	See last page of this Safety Data Shee			
16.3	Disclaimer:	Other government regulations must be Etchall's knowledge, the information of suitability or completeness is not gua provided. The information contained I	rsuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. reviewed for applicability to this product. To the best of ShipMate's & b & b contained herein is reliable and accurate as of this date; however, accuracy, aranteed and no warranties of any type, either expressed or implied, are nerein relates only to the specific product(s). If this product(s) is combined operties must be considered. Data may be changed from time to time. Be		
16.4	Prepared for:	B & B Etching Products, Inc. PO Box 1415 Sun City, AZ 85372 Tel: +1 (623) 933-4567 Fax: +1 (623) 815-9095 http://www.etchall.com	etchall etchall		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate*  Dangerous Goods Truining & Consulting		



Page 6 of 6 **BBE-002** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 12/12/2013

# **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

## **GENERAL INFORMATION:**

CAS No.   Chemical Abstract Service Number	Critical / Individual / Individual Control / Marines
--	--

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С			
D			
Е		Ē	
F			- P











Synthetic Apron



121 **Dust Respirator** 

**Full Face Respirator** 

**Dust & Vapor Half-**Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

# OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

## NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

# **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive
,	



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)				

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(2)</b>		$\odot$	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

# EC (67/548/EEC) INFORMATION:

T.		*	*	1		×	×
С	E	F	Ν	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

# CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\limits</b>		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment