

SDS
A-5 Thinning Oil
Mixing Media



Thompson Enamel

P.O. Box 310 Newport, KY 41072 USA ~ (859) 291-3800 fax (859) 291-1849

SECTION 1: Identification of the substance/mixture and of the company

Product Name: Thinning Oil

Identified uses: To use as mixing medium

Synonyms: A-5

Supplier: Thompson Enamel

650 Colfax Avenue

Bellevue, Ky. 41073 U.S.A.

Phone: 859-291-3800

Fax: 859-291-1849

Email: info@thompsonenamel.com

SECTION 2: Hazards identification

Composition: The specific chemical identities are being withheld as a trade secret (29CFR1910.1200).

Name Pine oil

CAS # 8002-09-3 100

Toxicological Data on Ingredients: Pine oil: ORAL (LD50): Acute: 3200 mg/kg [Rat]. DERMAL (LD50): Acute: 5000 mg/kg [Rabbit].

SECTION 3: Composition/Information on ingredients

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

SECTION 4: First aid measures

Eye Contact: Check for and remove any contact lenses. Do not use an eye ointment. Seek medical attention.

Skin Contact: After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Ingestion: Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

SECTION 5: Firefighting measures

Flammability of the Product: Combustible.

Auto-Ignition Temperature: Not available.

Flash Points: CLOSED CUP: 77.78°C (172°F).

Flammable Limits: Not available.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Flammable in presence of open flames and sparks, of heat.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards: Not available.
Special Remarks on Explosion Hazards: Not available.

SECTION 6: Accidental release measures

Small Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Large Spill: Combustible material. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk.

SECTION 7: Handling and storage

Precautions: Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes
Storage: Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

SECTION 8: Exposure Controls/Personal protection

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Exposure Limits: Not available.

SECTION 9: Physical and chemical properties

Physical state and appearance: Liquid.
Odor: Not available.
Color: Clear with a yellow tint
Boiling Point: 210°C (410°F)
Specific Gravity: 0.9 (Water = 1)
Vapor Density: 5.3 (Air = 1)
Solubility: Insoluble in cold water.

SECTION 10: Stability and reactivity

Stability: The product is stable.
Incompatibility with various substances: Not available.
Special Remarks on Reactivity: Not available.
Special Remarks on Corrosivity: Not available.
Polymerization: No.

SECTION 11: Toxicological information

Routes of Entry: Eye contact. Inhalation. Ingestion.
Toxicity to Animals: Acute oral toxicity (LD50): 3200 mg/kg [Rat]. Acute dermal toxicity (LD50): 5000 mg/kg [Rabbit].
Chronic Effects on Humans: Not available.
Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).
Special Remarks on Toxicity to Animals: Not available.
Special Remarks on Chronic Effects on Humans: Not available.
Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

Ecotoxicity: Not available.
BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

SECTION 13: Disposal considerations

Waste disposal recommendations: Trash can.

SECTION 14: Transportation information

This product is not Department of Transportation (DOT) regulated.

This product is not TDG (Canada) regulated.

SECTION 15: Regulatory information

Federal and State Regulations: TSCA 8(b) inventory: Pine oil

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

DSCL (EEC): R36/38- Irritating to eyes and skin.

HMIS (U.S.A.):

Health Hazard: 0

Fire Hazard: 2

Reactivity: 0

Personal Protection: h

National Fire Protection Association (U.S.A.):

Health: 0

Flammability: 2

Reactivity: 0

Specific hazard:

Protective Equipment: Gloves. Lab coat. Vapor respirator. Be sure to use

SECTION 16: Other information

References

DOT Department of Transportation

OSHA Occupational Safety and Health Administration

CAS Chemical Abstracts Service

TSCA Toxic Substances Control Act

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

The information and recommendations contained in this SDS have been compiled from sources believed to be reliable and to represent current opinion on the subject when the SDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.

UPDATED MAY 2015